


Wiring ducts

Halogen free wiring ducts with vertical slots

Technical details

- Color: **RAL 7035 grey**
- Halogen-free thermoplastic material in compliance with VDE 0472 Part 815 Standard: Br + Cl < 0.2 %, F < 0.1 %
- Smoke toxicity index: 25.78 according to NF X70-100 and NF F16-101 Standards
- Smoke opacity index*: Dm 352.2 (2 mm) VOF4 475.8 (2 mm) in compliance with NF X10-702 Standard (reference NF F16-101)
- * In the event of fire, it is extremely important for the smoke opacity level to be as low as possible during the first 4 minutes in order to allow people to move away from the areas of risk
- On the basis of the values obtained during the smoke opacity and toxicity tests, the material falls within class F2 (in compliance with NF F16-101 Standard)
- Insulating, shock-proof, self-extinguishing material in compliance with UL 94 V0 Standard and resistant to abnormal heat and fire up to 850°C (glow wire test) in compliance with IEC 695-2-1 Standard
- Dimensional stability from -40 to +100 °C
- Resistant to acids, oils, and greases
- Absence of burrs, rounded internal edges
- Dimensions and resilience of ribs guarantee repeated splaying during the wiring phase
- Controlled splaying of sides for guaranteeing a perfect seal of the cover in vertical sections and in the case of high temperatures
- Two prearranged trimming lines: one line at the basis of ribs in order to remove them by bending them towards the outside direction and another line at the basis of the wall in order to cut the edge when two connection ducts are used
- Cable holder mouldings halfway along the straight section of the ribs in 80 mm high ducts
- Standard 2-metre length
- **Trunking comply with the EN 50085-2-3 European Standard**
- Fields of application: residential, industrial and commercial
- RoHS Directive compliant
- **EN45545-2-compliant** trunking: 2013 risk class HL3 requirement R22-R23




Halogen free
RoHS compliant

Wiring ducts

Halogen free wiring ducts with vertical slots


Ducts with 8/12 mm slots



	Product ID	Order code	Dimensions WxH (mm)	Unit/pack-m
	1SL9019A00	1SL9019A00	15x17	46
	1SL9033A00	1SL9033A00	25x30	58
	1SL9035A00	1SL9035A00	40x30	38
	1SL9037A00	1SL9037A00	60x30	52
	1SL9043A00	1SL9043A00	25x40	48
	1SL9045A00	1SL9045A00	40x40	30
	1SL9047A00	1SL9047A00	60x40	40
	1SL9049A00	1SL9049A00	80x40	32
	1SL9051A00	1SL9051A00	100x40	24
	1SL9053A00	1SL9053A00	120x40	20
	1SL9063A00	1SL9063A00	25x60	34
	1SL9065A00	1SL9065A00	40x60	22
	1SL9067A00	1SL9067A00	60x60	32
	1SL9069A00	1SL9069A00	80x60	24
	1SL9071A00	1SL9071A00	100x60	20
	1SL9073A00	1SL9073A00	120x60	14
	1SL9083A00	1SL9083A00	25x80	28
	1SL9085A00	1SL9085A00	40x80	36
	1SL9087A00	1SL9087A00	60x80	24
	1SL9089A00	1SL9089A00	80x80	16
	1SL9091A00	1SL9091A00	100x80	16
	1SL9093A00	1SL9093A00	120x80	12
	1SL9095A00	1SL9095A00	40x100	28
	1SL9096A00	1SL9096A00	60x100	20
	1SL9097A00	1SL9097A00	80x100	14
	1SL9098A00	1SL9098A00	100x100	8

Overall dimensions pages 192-194.

Spirals




	Product ID	Order code	Description
	18370	M183700000	Spiral 3x5 Colorless 50 mt pack
	18372	M183720000	Spiral 6x8 Colorless 25 mt pack
	18374	M183740000	Spiral 10x11 Colorless 25 mt pack
	18376	M183760000	Spiral 12x13 Colorless 25 mt pack
	18380	M183800000	Spiral 3x5 self extinguish 50 mt pack
	18382	M183820000	Spiral 6x8 self extinguish 25 mt pack
	18384	M183840000	Spiral 10x11 self extinguish 25 mt pack
	18386	M183860000	Spiral 12x13 self extinguish 25 mt pack

Wiring ducts


Halogen free wiring ducts with vertical slots

Ducts with 4/6 mm slots



	Product ID	Order code	Dimensions WxH (mm)	Unit/pack-m
	1SL9119A00	1SL9119A00	15x17	46
	1SL9133A00	1SL9133A00	25x30	58
	1SL9135A00	1SL9135A00	40x30	38
	1SL9137A00	1SL9137A00	60x30	52
	1SL9143A00	1SL9143A00	25x40	48
	1SL9145A00	1SL9145A00	40x40	30
	1SL9147A00	1SL9147A00	60x40	40
	1SL9149A00	1SL9149A00	80x40	32
	1SL9151A00	1SL9151A00	100x40	24
	1SL9153A00	1SL9153A00	120x40	20
	1SL9163A00	1SL9163A00	25x60	34
	1SL9165A00	1SL9165A00	40x60	22
	1SL9167A00	1SL9167A00	60x60	32
	1SL9169A00	1SL9169A00	80x60	24
	1SL9171A00	1SL9171A00	100x60	20
	1SL9173A00	1SL9173A00	120x60	14
	1SL9183A00	1SL9183A00	25x80	28
	1SL9185A00	1SL9185A00	40x80	36
	1SL9187A00	1SL9187A00	60x80	24
	1SL9189A00	1SL9189A00	80x80	16
	1SL9191A00	1SL9191A00	100x80	16
	1SL9193A00	1SL9193A00	120x80	12

Spare covers



	Product ID	Order code	Description	Unit/pack-m
	1SL5316A00	1SL5316A00	Trunking base 15 mm	2/200
	1SL5317A00	1SL5317A00	Trunking base 25 mm	2/60
	1SL5318A00	1SL5318A00	Trunking base 40 mm	2/40
	1SL5319A00	1SL5319A00	Trunking base 60 mm	2/24
	1SL5320A00	1SL5320A00	Trunking base 80 mm	2/16
	1SL5321A00	1SL5321A00	Trunking base 100 mm	2/48
	1SL5322A00	1SL5322A00	Trunking base 120 mm	2/36

Overall dimensions pages 192-194.